

AUTHOR INDEX

- Ablett, S. 13
Andersson, M. 291
Arvanitoyannis, I. 13
- Baldwin, T.C. 303
Beaupère, D. 361
Blanshard, J.M.V. 13
Borrelli, S. 319
Braccini, I. 23
- Carpenter, T.A. 43
Cecchini, D.J. 205
Chopin, T. 51
Chrystal, E.J.T. 372
- De Fina, G.M. 371
De Lederkremer, R.M. 371
Demailly, G. 361
Derouet, C. 23
Du Penhoat, C.H. 23
- Ebata, T. 345
Edge, C.J. 337
Ekberg, T. 119
Elofsson, M. 89
Elvebak II, L.E. 1
Ericsson, L. 291
Esnault, J. 23
- Fowler, P.A. 372
Fréchou, C. 361
- Giese, R.W. 205
Gravestock, M.B. 372
Gray, G.R. 1
Grue, M.R. 283
Grundwald-Wyspiańska, M. 253
Guan, K. 205
- Haines, A.H. 372
Hall, L.D. 43
Hasegawa, A. 75
Hegedus, O.E. 319
Hizukuri, S. 267, 273
- Hoover, R. 185
Horton, D. 105
- Ishida, H. 75
Issa, M. 105
Izzard, M.J. 13
- Jann, B. 219
Jann, K. 219
- Kawakami, H. 345
Kenne, L. 291
Kihlberg, J. 89
Kiso, M. 75
Koseki, K. 345
Kosma, P. 353
Kuzuhara, H. 61
- Larsen, B. 229
Laupichler, L. 173
Lillford, P.J. 13
Lindberg, A.A. 319
Lindhorst, T.K. 173
- Maciejewska, W. 243, 253
Magnusson, G. 119
Mallet, J.-M. 23
Marchessault, R.H. 331
März, L. 353
Maskell, D.J. 319
Matsumoto, K. 345
Matsushita, H. 345
Mbongo, A. 361
Menzies, A.R. 303
Michon, V. 23
Morin, F.G. 331
Moxon, E.R. 319
- Neszmélyi, A. 353
Niggemann, J. 173
Nilsson, M. 161
- Ohta, Y. 75
Okano, K. 345

Osman, M.E. 303
Østgaard, K. 229

Parolis, H. 283
Parolis, L.A.S. 283
Phillips, G.O. 303
Polewski, K. 243, 253
Potter, K. 43
Priebe, W. 105

Ratnayake, S. 291
Raymond, L. 331
Rembold, H. 137
Roy, S. 89

Sajus, H. 173
Sakairi, N. 61
Schmidt, R.R. 137
Schmitt, T. 1
Schweda, E.K.H. 319
Sieberth, V. 219
Sinaÿ, P. 23
Stack, R.J. 291
Steindl, C. 353

Svahn, C.-M. 161
Swamidas, G. 185
Sznaidman, M.L. 105

Takeda, C. 273
Takeda, Y. 267, 273
Taylor, R.J.K. 372
Thiem, J. 173
Tomooka, S. 267
Tsukada, Y. 75

Uzan, R. 361

Varela, O. 371
Vasanthan, T. 185

Walfort, M. 173
Walse, B. 89
Weiser, J.N. 319
Westman, J. 161
Whalen, E. 51
Williams, P.A. 303
Wormald, M.R. 337

SUBJECT INDEX

- Acacia senegal*, molecular characterisation of the polysaccharide gum from, 303
- 1,6-Anhydro-3,4-dideoxy- β -D-glycero-hex-3-enopyranos-2-ulose (levoglucosenone), a novel synthesis of 4-deoxy-D-lyxo-hexose ("4-deoxy-D-mannose") from, 345
- Alginate concentration in calcium alginate gels, mapping by magnetic resonance imaging of the spatial variation in, 43
- Alginate lyase from *Halotitis*, a study of substrate conversion and product inhibition for an, 229
- Allyl 2-acetamido-2-deoxy-3,6-di-O-(α -L-fucopyranosyl)- β -D-glucopyranoside, a short synthesis, 353
- C-(2-Amino-2-deoxy- β -D-glucosyl) compounds, stereospecific synthesis by Wittig-type olefination of D-glucosamine derivatives, 361
- Amylomaize, structure of the amylopectin fraction of, 273
- Amylopectin fraction of amylomaize, structure of the, 273
- Amylose–Rose Bengal complex, FT-IR and Raman spectroscopy study, 253
- Amylose–Rose Bengal complex, UV-vis absorption, fluorescence, and optical rotatory study of the, 243
- Amylose, structures of branched and linear molecules of rice, 267
- 1,5-Anhydro-D-fucitol, the positional isomers of partially methylated and acetylated or benzoylated. Authentic standards for the reductive-cleavage method, 1
- Benzylidene acetal groups bridging the contiguous glucose residues in malto-oligosaccharide derivatives, chemical behavior, 61
- Branched and linear molecules of rice amylose, structures of, 267
- Butyrivibrio fibrisolvens* strain X6C61, structural studies of the extracellular polysaccharide from, 291
- Calcium alginate gels, mapping by magnetic resonance imaging of the spatial variation in alginate concentration, 43
- Calorimetric studies of the glass transition occurring in fructose solutions, 13
- Capsular polysaccharide of *E. coli* serotype K101, structural elucidation by high resolution NMR spectroscopy, 283
- Carrageenan identification by FT IR diffuse reflectance spectroscopy directly on dried ground algal material, a new and rapid method for, 51
- Chitosan using conductometric titration and solid-state NMR, degree of deacetylation of, 331
- Conformational analysis of nitrilium intermediates in glycosylation reactions, 23
- Deacetylation of chitosan using conductometric titration and solid-state NMR, 331
- Degree of deacetylation of chitosan using conductometric titration and solid-state NMR, 331
- 3-Deoxyaldulosonic acid esters, synthesis by one-carbon chain extension of glycal-derived lactone precursor, 105
- 2-Deoxyglycosyl phosphates, synthetic approaches to, 173
- 4-Deoxy-D-lyxo-hexose ("4-deoxy-D-mannose") from 1,6-anhydro-3,4-dideoxy- β -D-glycero-hex-3-enopyranos-2-ulose (levoglucosenone), a novel synthesis of, 345
- Deoxyhexopyranosides and deoxyhexopyranosid-2-uloses from 2-hydroxyglycal-derived precursors, stereoselective synthesis of, 371
- 1,5-Dideoxy-1,5-imino-L-iditol (1-deoxy-L-idonojirimycin), synthesis and activity towards yeast α -glucosidase of, 377
- E. coli* serotype K101, structural elucidation by high resolution NMR spectroscopy of the capsular polysaccharide of, 283

- Escherichia coli* O11:K10:H10, structure of the K10 capsular polysaccharide containing 4,6-dideoxy-4-malonylamino-D-glucose, 219
- Extracellular polysaccharide from *Butyrivibrio fibrisolvens* strain X6C61, structural studies, 291
- Fructose solutions, calorimetric studies of the glass transition occurring in, 13
- FT-IR and Raman spectroscopy study of the amylose–Rose Bengal complex, 253
- FT IR diffuse reflectance spectroscopy, a new and rapid method for carrageenan identification by, directly on dried ground algal material, 51
- L-Fucopyranosyl)- β -D-glucopyranoside, a short synthesis of allyl 2-acetamido-2-deoxy-3,6-di-O-(α -, 353
- Ganglioside GD₃, total synthesis by an approach general for polysialogangliosides containing α -sialyl-(2 \rightarrow 8)-sialic acid, 75
- Glass transition occurring in fructose solutions, calorimetric studies, 13
- D-Glucose, structure of the *E. coli* K10 capsular polysaccharide containing 4,6-dideoxy-4-malonylamino-, 219
- Glucosidase, synthesis and activity of 1,5-dideoxy-1,5-imino-L-iditol (1-deoxy-L-idonojirimycin) towards yeast α -, 377
- Glycal-derived lactone, conversion into 3-deoxyaldulosonic acid esters by one-carbon chain extension, 105
- Glycolchitosan as glycan spacer for crosslinked proteins, 205
- Glycosides of lipid A derivatives, synthesis of Kdo- α -, 137
- Glycosylated derivatives of helper-T-cell immunogenic peptides from hen-egg lysozyme, solid-phase synthesis and conformational studies, 89
- Glycosylation reactions, conformational analysis of nitrilium intermediates in, 23
- Gum from *Acacia senegal*, molecular characterisation of the polysaccharide, 303
- Haemophilus influenzae* strain AH1–3 (lic3 +), structural studies of the saccharide part of the cell envelope lipopolysaccharide, 319
- Heparin and heparan sulphate, synthesis of the methyl glycosides of a tri- and a tetra-saccharide related to, 161
- Heterobifunctional crosslinking agent cleaved by lysozyme, 205
- Hydroxyglycal-derived precursors, stereoselective synthesis of deoxyhexopyranosides and deoxyhexopyranosid-2-uloses from 2-, 371
- Immunogenic peptides from hen-egg lysozyme, solid-phase synthesis and conformational studies of glycosylated derivatives of helper-T-cell, 89
- Kdo- α -glycosides of lipid A derivatives, synthesis of, 137
- Lactoside, synthesis of the monodeoxy derivatives of 2-(trimethylsilyl)ethyl β -, 119
- Lipid A derivatives, synthesis of Kdo- α -glycosides of, 137
- Lipopolysaccharide from *Haemophilus influenzae* strain AH1–3 (lic3 +), structural studies of the saccharide part of the cell envelope, 319
- Magnetic resonance imaging, mapping of the spatial variation in alginate concentration in calcium alginate gels by, 43
- Malto-oligosaccharide derivatives, chemical behavior of benzylidene acetal groups bridging the contiguous glucose residues in, 61
- Mannuronate lyase from *Halobacterium*, substrate conversion and product inhibition, 229
- Monodeoxy derivatives of 2-(trimethylsilyl)ethyl β -lactoside, synthesis of, 119
- Nitrilium intermediates in glycosylation reactions, conformational analysis of, 23
- Olefination of D-glucosamine derivatives, stereospecific synthesis of C-(2-amino-2-deoxy- β -D-glucosyl) compounds by Wittig-type, 361
- Oligosaccharide conformations, the systematic use of nuclear Overhauser constraints in the determination of, 337
- Overhauser constraints in the determination of oligosaccharide conformations, the systematic use of, 337
- Peptides from hen-egg lysozyme, solid-phase synthesis and conformational studies of glycosylated derivatives of helper-T-cell immunogenic, 89
- Phosphates, synthetic approaches to 2-deoxyglycosyl, 173
- Physicochemical properties of native, defatted, and heat-moisture-treated pigeon pea (*Cajanus cajan* L.) starch, studies on the, 185

- Polysaccharide containing 4,6-dideoxy-4-malon-ylamino-D-glucose, structure of the K10 capsular antigen from *E. coli* O11:K10:H10, 219
- Polysaccharide from *Butyrivibrio fibrisolvens* strain X6C61, structural studies of the extracellular polysaccharide from, 291
- Polysaccharide gum from *Acacia senegal*, molecular characterisation of the, 303
- Polysaccharide of *E. coli* serotype K101, structural elucidation by high resolution NMR spectroscopy of the capsular, 283
- Polysialogangliosides containing α -sialyl-(2 \rightarrow 8)-sialic acid, synthetic approach to; total synthesis of ganglioside GD₃, 75
- Reductive-cleavage method, authentic standards for the. The positional isomers of partially methylated and acetylated or benzoylated 1,5-anhydro-D-fucitol, 1
- Rice amylose, structures of branched and linear molecules of, 267
- Rose Bengal–amylose complex, FT-IR and Raman spectroscopy study, 253
- Rose Bengal–amylose complex, UV-vis absorption, fluorescence, and optical rotatory study of the, 243
- Saccharide part of the cell envelope lipopolysaccharide from *Haemophilus influenzae* strain AH1–3 (lic3 +), structural studies, 319
- Sialyl-Lewis X, the systematic use of negative Overhauser constraints in the determination of oligosaccharide conformations as applied to, 337
- α -Sialyl-(2 \rightarrow 8)-sialic acid: synthetic approach to polysialogangliosides containing this moiety, and total synthesis of ganglioside GD₃, 75
- Spectroscopic study of the amylose–Rose Bengal complex, 243
- Starch, studies on the physicochemical properties of native, defatted, and heat-moisture-treated pigeon pea (*Cajanus cajan* L.), 185
- Stereoselective synthesis of deoxyhexopyranosides and deoxyhexopyranosid-2-uloses from 2-hydroxyglycal-derived precursors, 371
- Structure of the amylopectin fraction of amylo-maize, 273
- Substrate conversion and product inhibition of mannuronate lyase from *Halotia*, 229
- Synthesis of the methyl glycosides of a tri- and a tetra-saccharide related to heparin and heparan sulphate, 161
- Synthetic approaches to 2-deoxyglycosyl phosphates, 173
- Tetra-saccharide related to heparin and heparan sulphate, synthesis of the methyl glycosides of a tri- and a, 161
- 2-(Trimethylsilyl)ethyl β -lactoside, synthesis of the monodeoxy derivatives of, 119
- Trisaccharide derivative, preparation by di- α -L-fucosylation of allyl 2-acetamido-2-deoxy- β -D-glucopyranoside, 353
- Wittig-type olefination of D-glucosamine derivatives, stereospecific synthesis of C-(2-amino-2-deoxy- β -D-glucosyl) compounds by, 361

